Shop Order

US Fire Apparatus 3,000 Gallon Kenworth Tanker
$584,898.00

U.S. Fire Apparatus
Stevie Stiles
27995 James Chapel Road N.
Holden, LA 70744
johns@usfirepump.com

Exp. Date:	11/22/2025	
Quote No:	10187-0002	
Job/Order No:	FT1171	
TANKER:	USFA-3000	Commercial Tanker
LEGALS:	USFA-8005	Commerical Chassis Legals - US Fire Apparatus
CHASSIS:	USFA-8105	Chassis - Commerical Tanker
PUMPMODULE:	USFA-8210	Pump Module - Commercial Tanker
ELECTRICAL:	USFA-8320	Electrical - Commercial Tanker
BODY:	USFA-8410	Body - Commercial Tanker
PAINT:	USFA-8500	Paint / Graphics
EQUIPMENT:	USFA-8605	Equipment - Tanker
ADMIN:	USFA-88000	Administartion

PART NO	DESCRIPTION	QTY
	== Commerical Chassis Legals - US Fire Apparatus - 1025.000 10/03/25 ==	
	LEGALS / WARRANTIES / MANUALS	
00-00-1000	*****USFA September 2025 Data Book - Model 1B *****	1
00-02-0420	Proposal Response	1
00-02-2000	Payment Terms	1
00-02-2220	Apparatus Contract HGAC	1
00-02-4020	Principal Dimensions	1
	The apparatus will have the following dimensions:	
	Maximum Acceptable Overall Length: 32' 0"	
	Maximum Acceptable Overall Height: 10' 6"	
00-02-6020	Proposal Drawing	1
00-02-6220	Approval Drawing	1
00-04-0220	Vehicle Transportation - Fire Department Supplied	1

PART NO	DESCRIPTION	QTY
00-04-1020	Delivery Time - Stock Chassis	1
	The apparatus will be complete within 180 days after receipt of signed approval package.	
	Once approval package is signed and returned, USFA will review the delivery schedule once again before order release and provide the end user with a new delivery time.	
	US Fire Apparatus will not be held liable for changes arising from its failure to make or delay in making delivery because of fire, flood, strike, riot, supply chain, work force shortages, accidents, acts of God or any circumstances beyond our control.	
00-06-4020	NFPA Required Safety Signs	1
00-06-4220	Fluid Data Plate	1
00-06-4420	Carry Capacity Plate	1
00-80-0220	Apparatus Warranties - US Fire Apparatus	1
	US Fire Pump Company, LLC, ("USFP") warrants each new mobile fire apparatus be free of defects in material and workmanship for a determined warranty period from the date on which the vehicle is first delivered to the original purchaser.	
	General Warranty-	
	The general warranty is in effect for a warranty period that continues until 12 months from the date of delivery of the new fire apparatus to the original owner, or the first 12,000 actual miles from the delivery date, whichever occurs first. The general warranty is not valid if the odometer is disconnected, or its reading has been altered, or mileage cannot be determined.	
	Body Structure Warranty-	
	The body structure warranty is in effect for a warranty period that continues until 120 months from the date of delivery of the new fire apparatus to the original owner, or the first 100,000 actual miles from the delivery date, whichever occurs first. The body structure warranty is not valid if the odometer is disconnected, or its reading has been altered, or mileage cannot be determined.	
	General Body Paint Warranty-	
	The body paint warranty is in effect for a warranty period that continues until 60 months from the date of delivery of the new fire apparatus to the original owner.	
	Plumbing Warranty-	
	The plumbing warranty is in effect for a warranty period that continues until 120 months from the date of delivery of the new fire apparatus to the original owner, or the first 100,000 actual miles from the delivery date, whichever occurs first. The plumbing warranty is not valid if the odometer is disconnected, or its reading has been altered, or mileage cannot be determined.	
00-80-0620	Cab / Chassis Warranties - Commercial Chassis	1
	General Warranty-	
	The purchaser will receive a custom chassis 1 year.	

PART NO	DESCRIPTION	QTY
	Cab Structure Warranty-	
	The cab will be warranted against structural defects in material and workmanship under normal use and service for a period of 5 years from date of delivery.	
	Cab Paint Warranty-	
	A prorated paint warranty shall be provided for a period of 5 years pending the purchase and selection of the extended warranty period of 5 years.	
	Chassis Frame Rails Warranty-	
	The custom chassis frame and cross members will be warranted for 5 years from the date of delivery.	
	Engine Warranty-	
	The Cummins engine shall be warranted for a period of 5 years or 100,000 miles, whichever comes first by the engine manufacturer, Cummins.	
	Transmission Warranty-	
	The Allison EVS transmission engine shall be warranted for a period of 5 years by the transmission manufacturer, Allison.	
00-80-2020	Apparatus Manuals	1
00-80-4020	Apparatus Body Wiring Diagrams	1
	== Chassis - Commerical Tanker - 1025.000 10/03/25 ==	
	CHASSIS	
02-A2-8005	*** Kenworth ***	1
02-A2-8420	Commercial Chassis - Kenworth 2-Door T480 / 236" Wheel Base / Tandem Axle	1
	Stock Kenworth 2-door T480 cab and chassis.	
	VIN #'s: 175799	
	Major Vehicle Specifications-	
	Wheelbase- 236"	
	Gross Vehicle Weight: 64,000-Pounds	
	Front Axle- PACCAR 18,000-Pounds	
	Rear Axle- Meritor 46,000-Pounds	
	Engine- PACCAR 450 EV	
	Transmission- Allison 3000 EVS	
	Cab Color- Blaze Red Elite EY 00910068EY	
	Additional Freightliner Chassis Options:	
	Standard Battery Jumper Studs	
	Vertical Chassis Exhaust	
	Aluminum Wheels	
	Air Ride Driver and Passenger High Back Seats	
	AM / FM / WB Radio w/Speakers & Antenna	
	NFPA Compliant Back-Up Alarm	
	AM / FM / WB RAdio w/ Speakers	
	Electronic Stability Program	

PART NO	DESCRIPTION	QTY
	CHASSIS MODIFICATIONS - KENWORTH	
02-B2-1200	*** Front Bumper Components ***	1
02-B2-8020	Front Bumper Option - 100 Watt Siren Speaker	1
	The siren speaker will be surface mounted on the driver's side of the front bumper in position P1.	
02-B4-0000	*** Tires / Wheels ***	1
02-B4-0220	Tire Pressue Monitor System - LED AirGuard	1
02-B4-0820	Stainless Steel Wheel Trim w/ Lug Nut Covers	1
02-B6-0100	*** Air System Components ***	1
02-B6-4020	Air System Option - Dual Hood Mounted Air Horns	1
02-B6-4220	Air Horn Activation - Driver & Officer Foot Switches	1
	There will be one-(1) foot switch located on each front floor board to activate the air horns.	
02-B8-0000	*** Battery Charger ***	1
02-B8-0220	Battery Charger - Blue Sea 7532 P12	1
02-B8-4620	20A Battery Charger Receptacle - Kussmaul Auto Eject 091-55-20-120	1
	The receptacle will be located on the left side pump panel.	
02-B8-6220	Battery Charger Receptacle Cover - Kussmaul 091-55XX	1
	The battery charger receptacle cover will be a Kussmaul 091-55-YW (yellow).	
02-B8-8820	Power Inlet Plate	1
04-A0-0200	*** Exterior Trim ***	1
04-A2-1220	Exhaust Protection Cover	1
	A protective tread plate cover will be installed over the bottom of the chassis provided vertical exhaust stack.	
04-A8-0000	*** Interior Trim ***	1
04-A8-0220	Interior Door Panel Reflective Striping - 2 Door Cabs	1
	There will be a minimum of 96 square inches of reflective material installed on the inside panel of each cab door.	
06-A0-0100	*** Cab Electrical ***	1
06-A2-0220	NFPA Vehicle Data Recorder w / Seat Belt Warning & Monitoring	1
06-A2-0420	Load Management System w/ High Idle	1
06-A2-0620	Vehicle Indicator Light Panel	1
	The center cab console will be equipped with a vehicle indicator light panel.	
	The panel will include the following indicator lights:	

PART NO	DESCRIPTION	QTY
	Battery On	
	Ignition On	
	Low Volts w/ audible alarm	
	Door ajar w/ audible alarm	
06-A2-1020	Center Console Switch Panel	1
	The center cab console will have an upper rocker switch panel for component controls.	
	Below is the standard switch panel layout (left to right):	
	USB	
	EMERG. MASTER	
	WARNING LIGHTS	
	WORK LIGHTS	
	COMPT. LIGHTS	
	BROW LIGHT	
	LEFT SCENE	
	RIGHT SCENE	
	REAR SCENE	
	DUMP CHUTE	
	C. DOME / R. DOME	
	USB	
06-A2-1220	Battery Relocation - Kenworth Chassis	1
	The chassis batteries will be relocated from the frame rails to the lower floor of compartment L1. The batteries will be located against the forward side wall of the compartment and will have a bolt-in divider to separate the batteries from the rest of the compartment.	
06-A2-1420	Master Battery Disconnect Switch	1
06-A2-2220	12-Place 12V Fuse Black - Blue Sea 5032	1
	The fuse black will be located inside the center cab console.	
06-A2-2420	Dual USB Charging Port (USC-C / USB-A)	2
	There will be one-(1) charging port located on each side of the center cab console in the outboard positions.	
06-A2-2620	12V Power Outlet	1
	The power outlet will be located in the center cab console.	
06-A2-4220	Radio Mounting - Customer Supplied	1
	Radio Make/Model/Head Type: NEED MAKE AND MODEL	
06-A2-4420	Antenna Mount & Coaxial Cable	1
	The coaxial cable will terminate inside the center cab console.	
06-A2-4820	Radio Power Circuit	1
	The radio power circuit will be located inside the center cab console.	

PART NO	DESCRIPTION	QTY
06-A2-6020	Electronic Siren - Whelen 295SLSA1	1
	The siren will be located in the center cab console.	
06-A2-6220	LED Ground Lights (2)	1
06-A2-8020	Cab Dome Light - Red / Clear	1
	The dome light will be centered in the cab headliner.	
06-A2-8420	Engine Maintenance Light	1
06-A2-9020	Back Up Camera & Monitor - Fire Research TrueSight BCA111-A00	1
	The monitor will be located in the center overhead position.	
06-A4-0000	*** Interior Cab Accessories ***	1
06-A6-8020	Center Cab Console - Black Poly	1
	== Pump Module - Commercial Tanker - 1025.000 10/03/25 ==	
	APPARATUS PUMP MODULE - TANKER	
20-A2-1020	34" Wide Apparatus Pump Module - Hale Side Mount	1
20-A2-1025	Compartment - Ahead of the Pump Module	1
	There shall be one-(1) trasnverse compartment, located ahead of the pump module, constructed from 3/16" aluminum diamond plate. The compartment shall have two-(2) vertically hinged aluminum treadplate doors with push button lateches on each side.	
20-A2-2000	*** Apparatus Pump Module Components ***	1
20-A2-2020	Side Mount Pump Panels - Brushed Stainless Steel	1
20-A2-2820	Hinged Right Side Pump Panel	1
20-A2-4020	LED Pump Panel / Compartment Lights - Side Mount Pump Module	1
20-A2-8020	Pump Panel Running Boards - Embossed Tread Plate	1
20-A2-8820	Pump Panel Air Horn Activation Switch	1
	The activation switch will be located on the pump operator's panel.	
20-A4-0000	*** Apparatus Pump Controls & Instruments ***	1
20-A4-0420	Pump Pressure Governor - Class 1 TPG+	1
20-A4-1020	4-1/2" White Face Master Intake (-30hg-400 PSI) / Pressure (0-400 PSI) Gauges	1
20-A4-1220	2-1/2" White Face Individual Pressure Gauges (0-400 PSI)	1
20-A4-2000	*** Fire Pump & Accessories ***	1
20-A4-2220	Single Stage Fire Pump - Hale QMAX-XS	1
20-A4-4420	Fire Pump Mounting	1
20-A4-6220	Fire Pump Certification - 1500 GPM	1
20-A4-8020	Fire Pump Seal - Mechanical	1
20-A4-8420	Fire Pump Shift Control - Cab Mounted	1
	The pump shift will be located in the center cab console.	
20-A4-8620	Fire Pump Priming System - Trident Manual Air Prime	1
20-A4-8820	Fire Pump Corrosion Protection - Alloy Anode	3
20-A6-0220	Fire Pump Thermal Relief Valve w/ Light	1
20-A6-2820	Fire Pump Test Points	1
20-A6-4020	Fire Pump Master Drain	1

PART NO	DESCRIPTION	QTY
20-A6-4220	Individual 3/4" Drain Valves - Lift-Up Style	1
20-A8-0000	*** Tags & Labeling ***	1
20-A8-0220	Color Coded Pump Panel Tags	1
20-A8-0420	Fire Pump Certification Plate	1
20-A8-0620	Fire Pump Performance Plate	1
22-A0-0000	*** Plumbing ***	1
22-A2-0620	Stainless Steel / Flex Hose Plumbing	1
22-A2-1220	Intake & Discharge Apparatus Valves - Akron Brass 8800 Series	1
22-A2-1420	Fire Pump Paint - Standard OEM Black	1
22-A2-1620	Apparatus Valve & Plumbing Finish - Natural (No Paint)	1
22-A2-2020	Discharge Elbow & Caps	1
	All discharges will be equipped with elbows and caps.	
22-A4-0000	*** Steamers & Intakes ***	1
22-A4-0220	6" Steamer Inlets - Left & Right Side w/ Long Handle Caps	1
22-A4-1020	2-1/2" Left Side Intake w/Plug - Swing Controlled @ Valve	1
22-A4-1420	2-1/2" Right Side Intake w/Plug - Swing Controlled @ Valve	1
22-A4-2020	2" Tank Fill Valve - Push Pull Controlled	1
22-A4-4020	4" Tank To Pump Valve - Electric Controlled	1
22-A4-6020	Fire Pump Intake Relief Valve (125 PSI Pre-Set)	1
22-A6-0025	*** Discharges ***	1
22-A6-4010	*** Crosslay / Speedlay Discharges ***	1
22-A6-4020	1-1/2" Crosslay #1 w/ 2" Valve - Push Pull Controlled	1
	The crosslay bed will accommodate 200' of 1-3/4" double jacket hose.	
22-A6-6020	1-1/2" Crosslay #2 w/ 2" Valve - Push Pull Controlled	1
	The crosslay bed will accommodate 200' of 1-3/4" double jacket hose.	
22-A6-9420	Crosslay Cover & End Flap - Hypalon w/ Bungee Cords	1
	The end flaps will be secured at the bottom with bungee cords and snaps at the top.	
	The cover and end flaps will be black in color.	
22-A8-0050	*** Left Panel Discharges ***	1
22-A8-0629	2-1/2" Left Side Discharge #1 - Push Pull Controlled	1
22-A8-1820	2-1/2" Left Side Discharge #3 - Push Pull Controlled	1
22-A8-4005	*** Right Panel Discharges ***	1
22-A8-4020	2-1/2" Right Side Discharge #2 - Push Pull Controlled	1
22-A8-6020	3" Right Side Large Diameter Discharge - Electric Controlled	1
24-A0-0000	*** Deck Gun Discharge ***	1
24-A2-0220	3" Deck Gun Discharge - Push Pull Controlled	1
24-A4-0000	*** Left Rear Discharges ***	1
24-A4-0220	2-1/2" Left Rear Discharge - Push Pull Controlled	1
	== Electrical - Commercial Tanker - 1025.000 10/03/25 ==	
	APPARATUS ELECTRICAL SYSTEM	
40-A2-0000	*** Point to Point Body Wiring & Testing ***	1
40-A2-0220	Apparatus Electrical System - Commercial Chassis	1

PART NO	DESCRIPTION	QTY
40-A2-0620	NFPA Electrical System Testing	1
40-A2-0820	Electrical System Wiring Protection - Split Loom	1
40-A2-1020	EMI / RFI Protection	1
40-A4-0000	*** Warning Lights ***	1
40-A4-0100	*** Light Bars ***	1
40-A4-0220	60" Full Populated Lightbar - Whelen Freedom IV	1
40-A4-1000	*** Zone B / D Upper Front Body Corner Lights ***	1
40-A4-1020	Zone B / D Upper Front Body Corner Lights (2) - Whelen M9*C	1
	Make / Model: Whelen M9RC	
	The lights will be red in color with clear lens.	
	There will be one-(1) light with chrome bezel installed on each side of the apparatus on the upper front body corners.	
40-A4-2000	*** Zone B / D Upper Rear Body Corner Lights ***	1
40-A4-2020	Zone B / D Upper Rear Body Corner Lights (2) - Whelen M9*C	1
	Make / Model: Whelen M9RC	
	The lights will be red in color with clear lens.	
	There will be one-(1) light with chrome bezel installed on each side of the apparatus on the upper rear body corners.	
40-A4-4000	*** Zone C Upper Rear Lights ***	1
40-A4-4020	Zone C Upper Lights (2) - Whelen M9*C	1
	Make / Model: Whelen M9RC	
	The lights will be red in color with clear lens.	
	There will be one-(1) light with chrome bezel installed on each side of the apparatus on the upper rear of the apparatus.	
40-A4-6100	*** Zone A Lower Lights ***	1
40-A4-6220	Zone A Lower Lights (2) - Whelen M6*C	1
	Make / Model: Whelen M6RC	
	The lights will be red in color with clear lens.	
	There will be one-(1) light with chrome bezel installed on each side of the apparatus on the front of the apparatus.	
40-A4-8100	*** Zone B / D Lower Front Lights ***	1
40-A4-8220	Zone B / D Lower Front Lights (2) - Whelen M6*C	1
	Make / Model: Whelen M6RC	
	The lights will be red in color with clear lens.	

PART NO	DESCRIPTION	QTY
	There will be one-(1) light with chrome bezel installed on each side of the apparatus on the side of the hood.	
40-A6-0000	*** Zone B / D Lower Midship Lights ***	1
40-A6-0220	Zone B / D Lower Midship Lights (2) - Whelen M6*C	1
	Make / Model: Whelen M6RC	
	The lights will be red in color with clear lens.	
	There will be one-(1) light with chrome bezel installed on each side of the apparatus in the body wheel well area.	
40-A6-1000	*** Additional Zone B / D Lower Midship Lights ***	1
40-A6-1020	Zone B / D Lower Midship Lights (2) - Whelen ION TLI*	1
	Make / Model: Whelen TLIR	
	The lights will be red in color with clear lens.	
	There will be one-(1) light with black bezel installed on each side of the apparatus below compartment L1 / R1.	
40-A6-2000	*** Zone B / D Lower Rear Lights ***	1
40-A6-2020	Zone B / D Lower Rear Lights (2) - Whelen ION TLI*	1
	Make / Model: Whelen TLIR	
	The lights will be red in color with clear lens.	
	There will be one-(1) light with black bezel installed on each side of the apparatus below rearward compartments.	
40-A6-4000	*** Zone C Lower Lights ***	1
40-A6-4020	Zone C Lower Lights (2) - Whelen M6*C	1
	Make / Model: Whelen M6RC	
	The lights will be red in color with clear lens.	
	There will be one-(1) light installed on each side of the apparatus in the tail light housing.	
40-A6-6000	*** Zone C Lower Tail Light Assemblies ***	1
40-A6-6020	Stop / Turn / Back-Up Lights - Whelen M Series	1
	The fixtures will be mounted on each rear face of the body in a model M6FCV4, four-(4) light head chrome housing.	
40-A8-0000	*** Upper Rear Directional Lights ***	1
42-A0-0200	*** Additional Apparatus Lights ***	1
42-A2-0220	LED Clearance / Marker Lights	1
42-A2-0620	LED Ground Lights	6
	There will be one-(1) light located below compartment L1, compartment L3,	

PART NO	DESCRIPTION	QTY
	compartment R1, compartment R2 and one-(1) each side below the rear tailboard.	
	The light will activate when the park brake is set. There will also be a switch in the cab to to turn the lights off per NFPA.	
42-A2-1020	LED License Plate Light & Mounting Holes	1
42-A2-2020	LED Compartment Lights	10
	There will be two-(2) LED lights installed in each body compartment.	
	The light will activate when the park brake is set. There will also be a switch in the cab to to turn the lights off per NFPA.	
42-A2-2420	LED Hose Bed Light	1
	There will be an LED light mounted on the front hose bed wall to illuminate the area.	
	The light will be activated by a switch on the left rear of the apparatus. The switch will also activate the rear scene and reverse lights. The switch will be labeled REAR SCENE.	
42-A4-0000	*** Apparatus Surface Mount Scene Lights ***	1
42-A4-0220	LED Surface Mount Scene Lights (2) - Whelen M92SL*	3
	Make / Model: Whelen M92SLC	
	Locations:	
	(1) per Side of the Body, Zone B/D Upper Front	
	(1) per Side of the Body, Zone B/D Upper Rear	
	(1) per Side on the Rear of the Body, Zone C Upper	
	The lights will be equipped with chrome bezels.	
	The scene light(s) will be controlled by switch located in the cab.	
42-A4-2000	*** Apparatus Brow Scene Lights ***	1
42-A4-2020	LED Brow Scene Light - Whelen Summit S58M*	1
	Make / Model: Whelen S58W	
	The scene light will be mounted to the bottom of the light bar.	
	The scene light will be controlled by switch located in the cab.	
42-A4-9000	*** Additional Scene Lights Options ***	1
42-A4-9220	Scene Light Activation - Reverse Circuit	1
	== Body - Commercial Tanker - 1025.000 10/03/25 ==	
	TANKS / APPARATUS BODIES / BODY COMPONENTS	
58-A0-0000	*** Water Tank & Components ***	1
58-A2-1020	Polypropylene Water Tank - 3000 US Gallons w/ 6" Tank Vent & Tank Sleeve	1

PART NO	DESCRIPTION	QTY
58-A2-2005	*** Additional Tank Options ***	1
58-A2-2010	Water Level Gauge - Class One Intelli-Tank ITL-40M	1
58-A2-2020	Special Tank Congiguration - "L" Shaped	1
58-A2-2220	10" Stainless Steel Rear Dump Valve - Newton Electric	1
	The rear dump valve will be controlled by a guarded switch located in the cab and at the left rear of the apparatus.	
58-A2-2420	36" Stainless Steel Manual Telescoping Chute - Newton 4036-34	1
58-A2-2620	Stainless Steel Manual Swivel Dump Chute - Newton 6012SW	1
58-A2-4220	Additional Water Level Gauge - Whelen PSTANK2	1
	Locations: One-(1) on the center rear of the upper body	
	Activation: Park Brake	
58-A2-8020	4" Right Rear Direct Tank Fill - Fireman's Friend	1
58-A2-8620	Rear Direct Tank Fill Elbow - Kochek 4" FNPT RL x 5" Storz SKEP454-H52	1
58-A2-8820	Rear Direct Tank Fill Cap - Kockek CC507 5" Storz	1
60-A0-0000	*** Apparatus Body - General Construction ***	1
60-A2-1020	Apparatus Body - Extruded Aluminum, Tanker	1
60-A2-3020	Apparatus Body Sub Frame - Extruded Aluminum	1
60-A2-3220	Body / Compartment Construction - 102" Wide Body	1
60-A2-3430	Apparatus Body Wheel Well Panels - Painted Aluminum w/ Polished S/S Fenderettes	1
60-A2-4000	*** Compartment Layout ***	1
60-A4-5020	Compartments - Left Side, Tanker (Hybrid Style)	1
	L1 There will be a compartment located ahead of the rear wheels. The compartment will have an approximate interior dimensions of 37" wide x 74-1/4" high x 12" deep in the upper section and 28" deep in the lower.	
	L2 There will be a second compartment located ahead of the rear wheels. The compartment will have an approximate interior dimensions of 23" wide x 35" high x 28" deep.	
	L3 There will be a compartment located behind the rear wheels. The compartment will have an approximate interior dimensions of 23" wide x 35" high x 28" deep.	
60-A4-5220	Compartments - Right Side,Tanker (Hybrid Style)	1
	R1 There will be a compartment located ahead of the rear wheels. The compartment will have an approximate interior dimensions of 64" wide x 35" high x 28" deep.	
	R2 There will be a compartment located behind the rear wheels. The compartment will have an approximate interior dimensions of 23" wide x 35" high x 28" deep.	
60-A4-6000	*** Body Modifications ***	1

PART NO	DESCRIPTION	QTY
60-A6-0050	*** Compartment Doors ***	1
60-A6-0220	Compartment Doors - Satin Finish Roll-Up	5
60-A6-1000	*** Compartment Door Options ***	1
60-A6-1220	Compartment Door Option - Pull Down Straps	1
	Location: L1 (Bungee Style)	
60-A6-2000	*** Hose Bed ***	1
60-A6-2220	Apparatus Body Hose Bed - Tanker (73-1/2" Wide)	1
60-A6-4020	Hose Bed Divider w/ Hand Hole	2
60-A6-4420	Hose Bed Cover & End Flap - Hypalon w/ Bungee Cords & Weighted Bottom	1
	The cover and end flap will be black in color.	
60-A6-6000	*** Hose Bed Accessories ***	1
60-A6-8000	*** Rear Body Components ***	1
60-A6-8020	Rear Body Construction - Flat Back Design	1
60-A6-8420	Rear Tailboard - Aluminum Tread Plate	1
	The tailboard will have a NFPA compliant depth of 19".	
60-A6-8620	Fixed Step w/ Light - Rear Body Panel	6
	Locations: (3) Driver's side and (3) Passenger Side	
	The light will activate when the park brake is set. There will also be a switch in the cab to to turn the lights off per NFPA.	
60-A6-8820	Folding Step w/ Light - Rear Body Panel	2
	Locations: (1) per side of the dump chute swivel	
	The light will activate when the park brake is set. There will also be a switch in the cab to to turn the lights off per NFPA.	
60-A6-9420	Rear Tow Eyes (2) - Black Steel	1
60-A6-9620	Rear Vertical Handrails (2) - Knurled Aluminum	1
60-A6-9820	Below Hose Bed Handrail - Knurled Aluminum	1
60-A8-0000	*** Body Trim Components ***	1
60-A8-0220	Body Trim - Extruded Bodies	1
60-A8-0420	Front Body Stone Guards (2)	1
60-A8-0820	Rear Mud Flaps (2)	1
60-A8-1020	Apparatus Body Rub Rail - Aluminum C-Channel	1
60-A8-1220	Folding Step - Front of Body	4
	Locations: (4) on Driver's side front of the body to access the deck gun/Crosslays	
	The light will activate when the park brake is set. There will also be a switch in the cab to to turn the lights off per NFPA.	
60-A8-2020	Front Body Handrail - Knurled Aluminum	1
	Location:	
	One-(1) mounted vertically on the driver's side front of body on the vertical hosebed	

PART NO	DESCRIPTION	QTY
	extrusion, above the deck gun platform	
62-A4-0100	*** Ladder / Pike Pole Storage ***	1
62-A4-0220	Ground Ladder Brackets - Outside of Body	1
	The brackets will be located on the driver's side of the body.	
62-A4-2020	Attic Ladder Brackets - Ziamatic	1
62-A4-4020	Pike Pole Storage Tubes	2
	Note: Mounted to the left side of the body, below the extension/roof ladder brackets.	
64-A0-0100	*** Suction Hose Storage ***	1
64-A2-0220	Suction Hose Storage Trays (2) - Each Side of Body	1
	Note: One-(1) mounted above the ground ladders on the left side, one-(1) mounted to the top of the Portable Tank Rack	
64-A4-0000	*** Portable Tank Storage ***	1
64-A4-4020	Portable Tank Rack - Ziamatic PTS w/ Center Hinge Hardware Kit	1
	The rack will be located above the right side lower compartments.	
	Note: Activated by Guarded On/Off Switch and Guard Up/Down switch on Passenger Side Rear	
64-A4-4220	Portable Tank Rack Cover - Tread Plate	1
64-A6-0000	*** Additional Storage ***	1
64-A6-6020	Body Wheel Well Storage Compartment - Single Cylinder / Extinguisher	4
64-A6-6820	Body Wheel Well Storage Compartment & NO Divider - Equipment Storage	2
	Locations: (1) per side centered between the tandem axles	
64-A8-0000	*** Apparatus Body Hardware ***	1
64-A8-1220	Fixed Shelf - Shallow Depth	1
	Location:	
	(1) L1, Compartment Depth Break	
	== Paint / Graphics - 1025.000 10/03/25 ==	
	PAINT / GRAPHICS	
70-A2-0220	Apparatus Body Paint - Single Color	1
70-A2-0420	Body Paint Color / Code - Blaze Red Elite EY 00910068EY	1
70-A4-0220	Natural Interior Compartment Finish	1
70-A4-4442	1-4-1 Triple NFPA Scotchlite Striping	1
	The 4" striping will be white in color.	
	The 1" striping will be white in color.	
70-A4-6020	Striping Layout - Straight Down Cab / Body	1
70-A6-0220	Rear NFPA Chevron Striping	1

PART NO	DESCRIPTION	QTY
70-A6-1220	Rear Chevron Colors - 3M Red 983-72NL & Yellow 983-71NL	1
70-A6-4020	Reflective Material - Designated Walking Surfaces	1
	In addition to the designated walking surfaces material, the required DOT red and amber reflectors will be installed.	
70-A6-6020	Graphics Package	1
	A lettering package has been included with this proposal. Additional information about lettering shall be provided during the pre-construction.	
	== Equipment - Tanker - 1025.000 10/03/25 ==	
	LOOSE EQUIPMENT	
82-A2-0000	*** Ground Ladders ***	1
82-A2-0220	10' Folding Attic Ladder - Alco Lite FL-10	1
82-A2-0820	14' Roof Ladder - Alco Lite PRL-14	1
82-A2-1620	24' 2-Section Extension Ladder - Alco Lite PEL-24	1
90-A4-0000	*** Suction Hose / Strainers ***	1
90-A4-0220	6" x 10' PVC Suction Hose (2)	1
90-A4-0820	6" Barrel Strainer w/ Bracket - Kochek BS60C / MM601M	1
92-A2-0000	*** Pike Poles / Roof Hooks ***	1
92-A2-0420	8' Pike Pole w/ Fiberglass Handle	1
92-A2-0620	10' Pike Pole w/ Fiberglass Handle	1
92-A6-0000	*** Portable Tanks ***	1
92-A6-1020	3000 Gallon Portable Tank 22 Oz. HPR w/ Aluminum Frame - Fol-Da-tank FDTA-3000	1
96-A4-0000	*** Master Stream Devices ***	1
96-A4-0620	Master Stream Device - Akron Apollo 3433 w/ Truck Mount Flange	1
96-A4-1020	Monitor Ground Base w/ (2) 2-1/2" Inlets	1
96-A4-1620	Quad Stacked Tips - Akron 2499	1
96-A4-2020	Discharge Pipe - Akron 3488	1
96-A4-4020	Master Stream Nozzle - Akron Akronmatic 5160	1
96-A8-0000	*** Miscellaneous Equipment ***	1
96-A8-0220	DOT Transportation Kit	1
	There will be a 24 unit DOT first air kit and emergency road triangles provided with the completed apparatus.	
96-A8-2020	Folding Wheels Chocks (2) - Ziamatic SAC-44-E	1
96-A8-2220	Wheels Chock Holders (2) - Ziamatic SQCH-44-H	1
	The chocks will be located below compartment L1.	
	== Administartion - 1025.000 10/03/25 ==	